



WELDING TECHNOLOGY

SUPPLIERS OF WELDING AND ENGINEERING EQUIPMENT

• Machines • Abrasives • Safety

July 2021

Autumn Sale valid until July 31st 2021, or while stocks last.

Hot deals for the cold season.

Smooth adjustment, with high precision

Harris® 730 Regulator
PG 2

Light portable and easy to use

Lincoln Powercraft 191C
3in1 MIG Welder
PG 3

Multi-Voltage STICK/TIG machine

ESAB Arc with Lift TIG DC
Renegade ES300i Kit
PG 4

Xcel-Arc Viper MIG 120 Synergic Welder



Bonus!
Spool of
Gasless MIG Wire

SKU: XA-MIG120V

\$359.00
Including GST
\$312.17 excluding GST

Xcel-Arc Viper 120 Synergic MIG Welder includes:
• VIPER Synergic MIG120 Machine
• Direct Connect MIG Torch x 2.5m
• Earth Lead 16mm x 3m
• Operating Manual
• Regulator is optional & extra

Xcel-Arc Razor TIG 200CRZ ACDC Digital Compact Kit



SKU: XA-TIG200CRZACDCKIT

\$2,248.25
Including GST
1,955.00 excluding GST

Xcel-Arc Razor TIG 200CRZ ACDC Digital Compact Kit includes:
• RAZORWELD™ 200 AC/DC TIG Welder
• ARC T3FX Flexi-Neck Tig Torch x 4m
• Earth Lead & Arc Lead 25mm x 4m
• Argon Regulator
• Operating Manual





Xcel-Arc Viper MIG 120 Synergic Welder

Features

- MIG Gas, Gasless capability.
- 1Kg Spool Size.
- Automatic Burn Back.
- Small, Compact, Portable.
- Fitted with 10 Amp Domestic Plug.
- Generator Compatible 4.5kVA.
- Compliant to AS/NZ 60974-1.

Specifications

Power Supply	230V Single Phase
Duty Cycle	@ 40°C 10% @ 120A @ 25°C 25% @ 120A
Current Range	40 - 120A
Rated Input Power	4.5 KVA
Wire Sizes	0.6, 0.8, 0.9mm
Dimensions (mm)	353x132x250mm
Weight	5.2kg



**SKU:
XA-MIG120V**

Xcel-Arc Viper 120 Synergic MIG Welder includes:

- Xcel-Arc VIPER Synergic MIG120
- Direct Connect MIG Torch x 2.5m
- Earth Lead 16mm x 3m
- Operating Manual
- Regulator is optional & extra



**\$359.00
Including GST**
\$312.17 excluding GST

Xcel-Arc Razor TIG 200CRZ ACDC Digital Compact Kit

Features

- Latest 43KHz inverter frequency technology.
- AC/DC TIG.
- MMA (stick electrode).
- Tolerant to variable power supply.

Specifications

Power Supply	240V Single Phase
Duty Cycle	@ 40°C 25% @ 200A (TIG) @ 40°C 30% @ 160A (STICK)
Current Range	TIG 5-200A
Current Range	STICK 10 - 160A
TIG Welding Thickness Range	1-8mm
STICK Welding Thickness Range	2-12mm
Rated Input Power	6.0 KVA
Dimensions (mm)	410x162x326mm
Weight	10.5kg



**SKU:
XA-TIG200CRZACDCKIT**

Xcel-Arc Razor TIG 200CRZ ACDC Digital Compact Kit includes:

- RAZORWELD™ 200 AC/DC TIG Welder
- ARC T3FX Flexi-Neck Tig Torch x 4m
- Earth Lead & Arc Lead 25mm x 4m
- Argon Regulator
- Operating Manual

**\$2,248.25
Including GST**
1,955.00 excluding GST

Harris 730 Acetylene Regulator, Vertical Inlet, 0-150kpa

Model 730 Single Stage Cylinder Regulator.

Smooth Adjustment.
WIKA Safety back gauges.
Designed to seal and reduce risk of leaks.
Proven capsule seat with filter.

Features

- Maximum inlet pressure of 240bar.
- Flow to cut up to 150mm of steel.
- Smooth adjustment, with high precision.
- Quality metal cased 50mm pressure gauges.
- Internal safety relief valve for added safety on Oxygen and Argon.
- Suitable for medium duty applications.
- Independently certified to Standards Compliance.



**\$115.00
Including GST**
\$100.00 excluding GST

**SKU:
730Z002**

**Get BOTH for \$207.00
Including GST**
SKU: 100480
\$180.00 excluding GST

Harris 730 Oxygen Regulator, Side Inlet, 0-1000kpa

Model 730 Single Stage Cylinder Regulator

Smooth Adjustment.
WIKA Safety back gauges.
Designed to seal and reduce risk of leaks.
Proven capsule seat with filter.

Features

- Maximum inlet pressure of 240bar
- Flow to cut up to 150mm of steel
- Smooth adjustment, with high precision
- Quality metal cased 50mm pressure gauges
- Internal safety relief valve for added safety on Oxygen and Argon
- Suitable for medium duty applications.
- Independently certified to Standards Compliance.



**\$115.00
Including GST**
\$100.00 excluding GST

**SKU:
730Z004**

LINCOLN® ELECTRIC

Lincoln Powercraft 191C 3in1 MIG Welder

LINCOLN®
ELECTRIC



Features

- 190 amp output with a 10 amp input supply – can be used anywhere a 10 amp power supply is available.
- Easy to use LCD display screen.
- Includes EZYSET™ functionality – one dial synergic control for amps and volts.
- Fast and easy cable connection makes getting started quick, safe and simple.
- Solid and flux-cored wires capable – 0.6-1.2mm wire diameter.
- Stick electrodes – up to 4.0mm in diameter.
- TIG lift-arc welding, program control, easy arc start, anti-sticking torch.
- Spool gun capable – ideal for aluminium welding with the addition of a Lincoln spool gun.

Specifications

Power Supply	240V Single Phase
Duty Cycle@40°C	180A/23.0V@23% (MIG)
Duty Cycle@40°C	180A/17.2V@25% (TIG)
Duty Cycle@40°C	180A/27.2V@23% (STICK)
Rated Output	15-190A
Minimum generator (kVA)	10kVA
Dimensions (H X W X D)	340 mm x 220 mm x 470 mm
Net Weight	13.75 kg



240V
10 AMP



SYNERGIC
FUNCTION

190

DIGITAL
DISPLAY

VRD

OPERATOR
SAFETY



MIG
WELDING



TICK
WELDING



TIG
LIFT*



GENERATOR
COMPATIBLE

Powercraft® 191C Ready-to-weld pack includes:
Powercraft 191C power source, MIG gun, Electrode lead, Work return lead,
Gas hose, Regulator, Input lead (3m) with 10 amp plug,
Drive roll 0.6/0.8 (solid), Drive roll 0.9/1.2 (cored), Instruction manual.

SKU:
K69072-1

\$1,104.00
Including GST
\$960.00 excluding GST

Lincoln Spool Gun Powercraft LBT15 3m Suit 200M & 191C

Features

- Lincoln® Spool Gun LBT150 with a 3m lead that is ideal for Aluminium Welding.
- Suits both the K69074-1 Powercraft 200M Multi-Purpose 4in1 Welder & the K69072-1 Powercraft 191C 3in1 MIG Welder.
- Smooth exterior with ergonomic grip and balance.
- Full travel mechanical trigger can be easily felt through a welding glove.
- 3m gun cable and quick connect system offers fast connections to the welding machine.
- Tip Size 0.6-1.2mm.
- Current Rating: 150A @ 60%.



SKU:
K69083-1

\$432.40
Including GST
\$376.00 excluding GST

Lincoln Tig Torch Powercraft Pro26V 4m Suits 200M & 191C

Features

- Lincoln® TIG Torch ECR17 with a 4m lead that is ideal for TIG Welding.
- Suits both the K69074-1 Powercraft 200M Multi-Purpose 4in1 Welder & the K69072-1 Powercraft 191C MIG Welder.
- Light & easy to use.
- A flexible moulded handle gives you a fast grip so you can focus on the weld.
- Controls built into the handle.
- Can use up to 3.2mm tungsten electrodes.
- Current Rating: 150A @ 60%.



SKU:
K69082-1

\$256.45
Including GST
\$223.00 excluding GST



ESAB Arc with Lift TIG DC Renegade ES300i Kit

Features

- Multi-Voltage, Industrial STICK/TIG machine.
- Highest power to weight ratio in its class weighing in at 15kg and producing 300A at 40% duty cycle.
- Small, lightweight system can virtually go anywhere on the jobsite.
- Excellent performance on 6010 (cellulosic) electrodes and additional functionality to tailor Arc Force for a softer or crisper arc.
- Intuitive interface – the machine's digital readout display, along with large buttons with excellent feedback and controls.
- Cable management – an integrated latch system helps control cables so they can be secured to the machine, making it easy to pack up and go.

Specifications

Power Supply	Single Phase and/or Three Phase	
Duty Cycle	40% Duty Cycle	300 A / 20 V (TIG)
Duty Cycle	40% Duty Cycle 3ph	300 A / 30 V (STICK)
Current Range, 1ph	5 – 200 A	
Current Range, 3ph	5 – 300 A	
Open circuit voltage	48V(32V)	
Rated kVA	11.3 kVA	
Dimensions (L X W X H)	460 x 200 x 320 mm	
Net Weight	15 kg	

Package Contents:

Renegade ES 300i power supply, shoulder strap, 3m power cable and 5m Earth & Arc leads.



48% OFF
Was \$4,370



SKU: 100127

\$2,300.00
Including GST
\$2000.00 excluding GST

Xcel-Arc AS3000FG Auto Welding Helmet

The AS3000FG Automatic Welding Helmet provides protection to your face and eyes from spatter and UV/IR radiation.

Fitted with 2 arc sensors, the AS3000FG Welding Helmet features 9-13 Shade control as well as GRIND mode for use when grinding.

Specifications

Filter Dimensions	110x90x9mm
View Size	96x42mm
Arc Sensors	2
Classification	1/1/1/2
Light State	4
Dark State	9-13
Time from light to dark	0.1ms
Time from dark to light	0.1-0.9s



SKU: AS3000FG

\$109.25
Including GST
\$95.00 excluding GST



German Made Harris Perkeo LPG Scorcher Heating Torch Kit

Safety Feature: Deadman Lever.

Harris Perkeo LPG Scorcher Kit. This kit requires NO additional oxygen. Runs off LPG gas, the tip tube creates a venturi effect suction in oxygen from the air to create a 101mj heating flame.



Applications

- Heating Steel
- Curing Concrete.
- Heating Bitumen.
- Drying Applications.
- Preheating.
- Weed Burning.

Kits Include

- 25mm Heavy Duty Tip
- 300mm Tip Tube
- Economiser Hand Piece
- 3 Meters LPG Hose
- LPG Bottle Fitting



SKU: 22992

\$289.77
Including GST
\$251.97 excluding GST

Clearance SALE

Face Mask P2 PC305 Respirator 20pk

Features

- P2: Certified to AS/NZS 1716:2012 Respiratory Protective Devices.
- P2 disposable respirator for protection against mechanically and thermally generated particles.
- Lightweight cupped design for comfortable extended wear.
- Easily worn with glasses and goggles.
- Nose flange for increased protection and facial fit.
- Resealable bag for hygienic storage.
- Qty/Box - 20.



SKU: 100347

\$34.50
Including GST
\$30.00 excluding GST

Safety Glasses Close-Fit Clear

Features

- Medium impact lens.
- Anti-scratch, anti-fog.
- 99.9% UV protection.
- Soft touch TPR nose pads.
- 5 way adjustable arms.
- AS/NZS1337 approved.




SKU: 100197

\$3.45
Including GST
\$3.00 excluding GST

Face Mask 3M Filter GP2/GP3 Ozone & Nuisance

Features

- For protection against toxic particles such as mould remediation.
- Also for nuisance level* acid gases and organic vapours with low vapour pressure.
- Suitable for use with 3M™ 6000/7500 Series Half Face Respirators and 3M™ 6000/7000 Series Full Face Respirators.
- Cartridge Type GP2/GP3
- Filter Type Gas, Vapour & Particulate Filters.
- Standards/ approvals Complies with AS/NZS 1716:2012.
- Pack Qty: Pair



SKU: 2138

\$27.60
Including GST
\$24.00 excluding GST

Leather Spats for Boots With Velcro Standard Safe-t-tec

Features

- Made from split leather.
- Adjustable Velcro closure.
- Elastic sole strap.
- Spat is 18cm high.



SKU: 681005

\$19.99
Including GST
\$17.39 excluding GST

We Are Moving Soon!

Corner of Cryers Rd & Echelon Pl
3A Echelon Place, East Tāmaki

October 2021



New Location

Current Location

WELDING TECHNOLOGY

Suppliers of Welding & Engineering Equipment



Phone: 09 2741246

info@weldingtechnology.co.nz

www.weldingtechnology.co.nz

Unit G & H
1 Highbrook Dr
East Tamaki
Auckland
New Zealand

Although best efforts have been made to ensure all details in this catalogue are correct at the time of printing, we reserve the right to correct pricing and printing errors and product specifications should the need arise.

Offers valid until July 31st 2021, or while stocks last.