



PPS INDUSTRIES LIMITED

Material Safety Data Sheet

1 Identification of substance:

- **Product name:** STAINLESS STEEL WELD CLEAN
- **Stock number:** 129429 129433 129499
- **Manufacturer/Supplier:**
PPS Industries Limited
86 Hugo Johnston Drive,
Penrose,
Auckland, New Zealand
P.O.Box 12-823, Penrose, Auckland 1642
Phone: 64 9 579-1001
Facsimile: 64 9 579-9474
Emergency Phone: 0800 657 894 Monday to Friday 8am-4pm
Web Site: www.ppsindustries.co.nz
- **Emergency contact detail:**
For emergency only. During normal hours call PPS Industries office.

Organization	Location	Phone
National POSITION CENTER	New Zealand	0800 764-766
Chemcall 24/7 Emergency Response Service	New Zealand	0800 243-6225



□ **2 Hazards identification**

Classified as hazardous according to the criteria in the EPA Hazardous Substances (Minimum Degrees of Hazard) Notice 2017.

Classified as a Dangerous Goods according to NZS 5433.

Hazard description: Class 8, Corrosive liquid N.O.S., Packing Group II, UN 3264.

HSNO Class:

Class 6 Toxicity

6.1D (all) acutely toxic

6.1D (oral) acutely toxic

6.1D (dermal) acutely toxic

6.9B special target organ toxicity

Class 8 Corrosive

8.1A metallic corrosive

8.2B skin corrosive

8.3A eye corrosive

Class 9

9.1D(fish) Substances that are slightly harmful in the soil environment

9.3C Substance that are harmful to terrestrial vertebrates.

EPA Group Standard:

HSR002491 - Additives, Process Chemical and Raw Materials (Corrosive) Group Standard 2020

GHS Classification:

Hazard Pictogram(s):



Signal word: Danger

Hazard class:

serious eye damage/eye irritation Category 1

Ecotoxic to Terrestrial Vertebrates

Acute Toxicity: Oral Category 4 Acute Toxicity: Dermal Category 4

Skin corrosion/irritation Category 1B

Specific Target organ toxicity Single exposure Category 2

Hazardous to the Aquatic environment Long term hazard Category 4

Corrosive to metals category 1

Acute Toxicity: Dermal Category 4

Hazard statement(s):

H290 May be corrosive to metals

H302 Harmful if swallowed

H312 Harmful in contact with skin

H318 Causes serious eye damage

H315 Causes skin irritation

H413 May cause long lasting harmful effects to aquatic life

H433 Harmful to Terrestrial Vertebrates

H314 Causes skin burns and eye damage



Precautionary Statement(s) Prevention:

P234 Keep only in original container

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children

P103 read labels before use.

P264 Wash the hands and other exposed parts of the body, thoroughly after Handling.

P270 Do not eat, drink or smoke when using this product.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children

P103 read labels before use

P280 Wear protective gloves/protective clothing/eye protection/face Protection

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash the affected body parts thoroughly after handling.

P280 wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment

P103 Read label before use

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statement(S) Response:

P390 Collect spillage

P301+P310 If swallowed: Immediately call poison centre or doctor. Rinse Mouth With water.

P302+P350 If on skin: Gently wash with plenty of soap and water. Immediately Call a poison centre or doctor

P322 For specific measures read the Label.

P361 Take off immediately all the contaminated cloths

P363 wash contaminated clothing before reuse.

P301+P330+P331 If swallowed: Rinse mouth. Do not induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower)

P363+P304+P340 Wash contaminated clothing before reuse. If inhaled:

Remove victim to fresh air and keep at rest in a position comfortable for breathing.



P310 Immediately call a poison centre or a doctor.

P321 For specific treatment read the Label.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Precautionary Statement(S)Storage:

P405 Store locked up

P404 Store in a closed container

Precautionary Statement(S) Disposal:

P501 Dispose of contents/container to an appropriate treatment and Disposal Facility in accordance with applicable laws and regulations.

3 Composition/Data on components:

Chemical characterization:

Description:	(CAS#)	Concentration	Hazardous
Nitric Acid	7697-37-2	8-12 %	Yes
Magesium nitrate	13446-18-9	30-40%	No
Ammonium fluoride	12125-01-8	4-15 %	Yes
Ammonium nitrate	6484-52-2	< 20 %	Yes
Ethyl alcohol	64-17-5	< 5 %	Yes
Xanthan Gum	11138-66-2	< 1 %	No
Dye	<0.1%	No	
Water		Balance	No

4 First aid measures

Ingestion: If conscious, give plenty of water to drink. DO NOT INDUCE vomiting. Contact the National Poisons Centre **0800 764 766 (0800 POISON)** or a Doctor immediately. If vomiting occurs, place victim face downward, with the head turned to the side and lower than the hips to prevent vomit entering the lungs.

Eye contact:If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing for at least 15 minutes.

Skin contact:First aid personnel should avoid contact with this chemical. Wear impervious gloves when assisting patient. Immediately flush contaminated skin area with gently running water for at least 20 minutes.



While washing with water remove contaminated clothing, footwear and leather goods (eg. watchbands, belts). Wearing protective gloves the first aid person should gently apply the 2.5% calcium gluconate gel to the affected area and leave on the skin until 15 minutes after the pain has subsided. If gel not readily available, continue washing with water. For burns on the skin affecting more than 65% cm² (approximately the area of the palm of the hand), give six tablets of effervescent calcium gluconate in water by mouth every two hours until admitted to hospital. Obtain medical attention immediately.

Inhaled: Remove victim from exposure. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep victim at rest until fully recovered. If breathing is laboured and patient cyanotic (blue), ensure airways are clear and have qualified person give oxygen through a facemask. If breathing has stopped, apply artificial respiration at once. In event of cardiac arrest, apply cardiopulmonary resuscitation (CPR) if trained. Seek medical attention.

Advice to Doctor: Treat symptomatically based on judgment of doctor and individual reactions of patient.

5 Fire fighting measures

Fire and explosion hazards: There are no specific risks for fire/explosion for this chemical. It is non-flammable.

Extinguishing Media: Carbon dioxide, extinguishing powder, foam, fog sprays.

Unsuitable extinguishing substances: Unknown.

Products of combustion: Possible HF, F- upon heating to decomposition. This product may reaction with most metals. Upon reaction with metals, explosive hydrogen gas may be formed.

Protective gear: Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.

6 Accidental release measures

Containment:

If greater than 10000L is stored, secondary containment and emergency plans to manage any potential spills must be place. The product should avoid contact with glass, concrete, metals, oxidisers, alkalis, combustibles, organics, ceramics.

Emergency procedures:

In the event of spillage alert the fire brigade to location and give brief description of hazard. Wear protective equipment to prevent skin, eye and respiratory exposure.

Clear area of any unprotected personnel.

Contain spillage using sand, earth or vermiculite. Do not use sawdust on concentrate.

Prevent by whatever means possible any spillage from entering drains, sewers, or water sources. (If this occurs contact your local council immediately).

Clean-up method:

Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers or drums for disposal. Use calcium carbonate to neutralised, the ratio is 1kg of the product use 0.5kg of calcium



carbonate. Do not allow product to reach drains, sewers or waterways. If contamination of sewers or waterways has occurred. The advice is to stop further flow to waterway, and advise the Environmental Protection Authority or your local Waste Authority.

Disposal:

Mop up and collect recoverable material into labeled containers add calcium carbonate to neutralise it and send to approved chemical dispose facility, dispose of only in accord with all regulations.

Precautions:

Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours.
Work up wind or increase ventilation.

7 Handling and storage

Storage:

Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10.

Handling:

Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact and inhalation of vapour, mist or aerosols.

8 Exposure controls and personal protection

• **Exposure standards**

Ingredient	Reference	TWA	STEL
Nitric acid	WES (NZ)	2ppm 5.2mg/m3	4ppm 10mg/m3

• **8.2 Exposure controls**

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard.

PPE

Eye / Face Wear splash-proof goggles.

Hands Wear PVC gloves.

Body Wear rubber or PVC boots and a PVC apron and impervious coveralls.

Respiratory Wear a Full-face Type B (Inorganic and Acid gas) respirator. With prolonged use, wear an Air-line respirator.



9 Physical and chemical properties:



Appearance:	liquid
Colour:	Purple
Odour:	no particular odour
Vapour pressure:	not applicable
Vapour density:	not applicable
Boiling point:	not applicable
Volatile materials:	Nitric acid, water phase
Freezing / melting point:	not applicable
Solubility:	completely soluble in water
Density:	1.35 g/cm ³ at 20 °C
pH:	< 1
Flash point:	non flammable
Danger of explosion:	not explosive
Auto-ignition temperature:	non flammable
Upper and lower flammable limits:	non flammable
Corrosiveness:	corrosive

10 Stability and reactivity

Stability:

This product is unlikely to react or decompose under normal storage conditions. This product will react with glass, ceramic, concrete, rubber, leather, many metals, cast iron and organic compounds. Upon reaction with metals, explosive hydrogen gases may be formed.

Conditions to be avoided:

Avoid excessive heat, direct sunlight, static discharges, open flame and high temperatures. Light sensitive.

Containers should be kept closed in order to avoid contamination. Keep from extreme heat and open flames.

Incompatible groups:

Avoid contact with bases (eg. Caustic soda), can react violently. Incompatible with strong bases, metals, glass, leather, alkalis, concrete, silica sulphides, cyanides, carbonates.

Hazardous decomposition products:

Upon reaction with metals, explosive hydrogen gases may be formed.

11 Toxicological information

Health hazard: Highly corrosive - toxic. This product has the potential to cause serious adverse health effect. Use safe work practices to avoid eye or skin contact and inhalation. Over exposure may result in severe and permanent eye, skin and respiratory damage.

Oral: Calculated for ammonium bifluoric and nitric acid mixture
LD50 620 mg/l (oral, rat).

Dermal: Calculated for ammonium bifluoric and nitric acid mixture
LD50 1500 mg/l (dermal, rat).

Inhalation: Calculated for ammonium bifluoric and nitric acid
mixture LD50 4.6 mg/l (vapour).

Eye: The mixture is pH < 2, which is corrosive to the eye, because some of the ingredients present are considered eye corrosives.

Skin: The mixture is considered to be corrosive to the skin,



because some of the ingredients present at are considered skin corrosives.

12 Ecological information:

Ecotoxicity: No information available.

Persistence/Degradability: No information available.

Mobility: No information available.

Environmental Fate: Avoid release to the environment. Endangers drinking-water supplies if allowed to enter soil or water. Harmful effect due to pH shift.

Bioaccumulation Potential: No information available.

Environmental Impact: No Data Available

13 Disposal considerations

Disposal method:

Neutralise with calcium carbonate, lime, weak alkali or similar. For small amounts, absorb with sand and dispose of to an approved landfill site. Contact the manufacturer / supplier for additional information (if required).

Contaminated packaging:

Rinse with neutralize chemical as above, and rinse containers with water before disposal. Preferably re-cycle container, otherwise send to landfill or similar.

14 Transport information

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a hazardous substance for transport.

Proper shipping name:	Corrosive liquid, N.O.S.
UN number:	3264
Class:	8
HAZCHEM:	2X
Packing group:	PG II

15 Regulations

HSNO Class:

Class 6 Toxicity

6.1D (all) acutely toxic

6.1D (oral) acutely toxic

6.1D (dermal) acutely toxic

6.9B special target organ toxicity

Class 8 Corrosive

8.1A metallic corrosive

8.2B skin corrosive

8.3A eye corrosive

Class 9



PPS INDUSTRIES LIMITED

9.1D(fish)	Substances that are slightly harmful in the soil environment
9.3C	Substance that are harmful to terrestrial vertebrates.

EPA Group Standard:

HSR002491 - Additives, Process Chemical and Raw Materials (Corrosive) Group Standard 2020

Certified Handler : Not Applicable

Tracking : Not Applicable

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Issue date: 13/09/2021

Review date:13/09/2026