

## A NEW FORCE IN CHEMICAL MANUFACTURING

Unit 2, 14-16 Lee Holm Road St Marys NSW 2760 Australia Ph: 1300 738 250 (Australia) Ph: +61 2 9833 9766 (International) Fax: 02 9623 3670 sales@chemtools.com.au www.chemtools.com.au

# TECHNICAL DATA SHEET

**MAY 2015** 

### PRODUCT NAME

Zero- Spat™ ASL HD Anti-Spatter

## PRODUCT RANGE

Part Number Available Size

CT-ASL-750ML 750ML Trigger Spray

CT-ASL-5L 5 Litres
CT-ASL-20L 20 Litres
CT-ASL-200L 200 Litres



Refer to SDS for product safety guidelines

# Zero-Spat™ ASL HD Anti-Spatter

Chemtools ® Zero Spat<sup>™</sup> ASL Heavy Duty Anti-Spatter is a heavy duty water-based anti-spatter liquid which provides instant shielding against welding spatter.

Chemtools ® Zero Spat<sup>™</sup> ASL Heavy Duty Anti-Spatter is an exceptional performing, biodegradable product that significantly reduces or eliminates spatter adhesion on weld nozzles, work pieces and tooling. It contains no chlorinated solvents or silicones and is non-toxic and non-flammable and will not create porosity or pinholes in welds.

#### **FEATURES AND BENEFITS:**

- Solvent free formula reduces fume formation
- Silicone free, easy to clean and paintable
- Water soluble formula is economical to use and is non-toxic
- Prevents Corrosion
- Non-flammable, eliminates risk of flash during welding
- Red colour to identify presence of product
- Prevents weld spatter from sticking even after prolonged welds

#### **APPLICATION:**

Shake trigger spray and apply undiluted to the area surrounding the weld and tooling. After welding wipe the excess from the work piece with a damp cloth. If painting is required use Chemtools Prep Solv Cleaner/Degreaser to remove all trace of the anti-spatter.

#### STORAGE:

Store in a cool, dry place, in tightly closed original containers at a room temperature between 5°C and 40°C. Do not place in direct sunlight or near any heat source. Do not return any used material to its original container.

#### PRECAUTIONS:

This product is capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and



recommendations as stated in the Safety Data Sheets (SDS) for this and all other products being used are understood by all persons who will work with the material.

#### **WARRANTY:**

All products purchased from or supplied by Chemtools® are subject to terms and conditions set out in the contract. Chemtools® warrants only that its products meet the specifications designated as such herein, or in other publications. All other information supplied by Chemtools® is considered accurate, but is furnished upon the express condition. The customer shall make its own assessment to determine the product's suitability for a particular purpose. Chemtools® makes no other warranty, either expressed or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or products will not infringe any patent.



